

**AMENDMENTS TO THE CLAIMS**

**This listing of claims will replace all prior versions and listings of claims in the application:**

**LISTING OF CLAIMS:**

1. (currently amended): An image data background determining apparatus, comprising:  
an image data acquisition unit for acquiring image data expressing in multiple tones an image in picture elements in a dot matrix arrangement;

a frequency distribution charting unit for charting frequency distributions by totaling the picture elements of the image data acquired by the image data acquisition unit as classified by tone level;

a background determination unit for computing a statistical quantity representing the characteristic of a reference area demarcated by dividing the frequency distributions based on a prescribed tone level and, if that statistical quantity is a sufficient value to indicate the presence of a background, determining that the image has an area constituting a background;

an image data designating unit for designating the image data acquired by said image data acquisition unit to be either color image data or monochrome image data; and

a tone setting unit for setting a tone to demarcate said reference area in response to the designation by said image data designating unit[.];

wherein said background determination unit computes the relative frequencies of said reference area and, if either each or the total of the computed relative frequencies is at or above a prescribed threshold, determines that there is an area constituting a background in the image; and

wherein said background determination unit computes representative values of said reference area, and determines whether there is an area constituting a background in the image by combining the representative values.

2. (canceled).

3. (currently amended): The image data background determining apparatus, as set forth in either claim 1 or 2, wherein said background determination unit computes the relative frequency of each tone in said reference area and, when the total of the occurrences of tones having the prescribed or higher relative frequency is not less than a prescribed threshold, determines that there is a background area in the image.

4. (previously presented): The image data background determining apparatus, as set forth in claim 1, wherein said background determination unit computes the standard deviation of the reference area, and determines the presence of an area constituting a background in the image when the standard deviation is not above a prescribed threshold.

5. (canceled).

6. (canceled).

7. (previously presented): The image data background determining apparatus, as set forth in claim 1, wherein said background determination unit is provided with an image data retouching unit for so retouching the image data of picture elements, if the image has an area constituting a background, as to remove the background based on the area constituting the background.

8. (previously presented): The image data background determining apparatus, as set forth in claim 7, wherein said image data retouching unit, if the area constituting the background of the image is near a highlight, generates a correction curve having a parameter to maximize the tone of picture elements near the highlight, and corrects the tones of picture elements in the image data according to the correction curve.

9. (previously presented): The image data background determining apparatus, as set forth in claim 8, wherein said background determination unit determines the presence or absence of an object in the image in accordance with prescribed technique and, if there is found an object, said image data retouching unit alters the parameter of said correction curve.

10. (canceled).

11. (previously presented): The image data background determining apparatus, as set forth in claim 1, wherein said image data designating unit designates the image data to be monochrome image data or color image data by the user's choice.

12. (previously presented): The image data background determining apparatus, as set forth in claim 1, wherein said tone setting unit sets the tone to demarcate the reference area variably based on the state of the frequency distributions.

13. (previously presented): The image data background determining apparatus, as set forth in claim 12, wherein said tone setting unit sets, where the designation by the image data designating unit is for color image data, said reference area narrower toward the high tone or, where it is for monochrome image data, sets said reference area wider than for color image data from the high tone to the low tone.

14. (previously presented): The image data background determining apparatus, as set forth in claim 13, wherein said background area determination unit generates a retouching curve having as its parameter the tone designated by said tone designating unit, and retouches the picture elements of the image data acquired by said image data acquisition unit based on the retouching curve.

15. (currently amended): An image data background determining method for determining an area constituting a background in an image based on frequency distributions of image data, comprising:

acquiring image data, with an image data acquisition unit, expressing in multiple tones an image in picture elements in a dot matrix arrangement;

charting frequency distributions by totaling the picture elements of the image data acquired at said image data acquisition unit as classified by tone level;

computing a statistical quantity, with a background determination unit, representing the characteristic of a reference area demarcated by dividing said frequency distributions based on a prescribed tone level and, if that statistical quantity is a sufficient value to indicate the presence of a background, determine that said image has an area constituting a background;

designating the image data, with an image data designation unit, acquired by said image data acquisition unit to be either color image data or monochrome image data; and

setting a tone, with a tone setting unit, to demarcate said reference area in response to the designation by said image data designating unit[.];

wherein said background determination unit computes the relative frequencies of said reference area and, if either each or the total of the computed relative frequencies is at or above a prescribed threshold, determines that there is an area constituting a background in the image; and

wherein said background determination unit computes representative values of said reference area, and determines whether there is an area constituting a background in the image by combining the representative values.

16. (currently amended): A computer readable medium with a recording thereon of an image data background determination control program for determining an area constituting a background in an image based on frequency distributions of the image data, which enables a computer to carry out a method, comprising:

acquiring image data, with an image data acquisition unit, expressing in multiple tones an image in picture elements in a dot matrix arrangement;

charting frequency distributions by totaling the picture elements of the image data acquired at said image data acquisition unit as classified by tone level;

computing a statistical quantity, with a background determination unit, representing the characteristic of a reference area demarcated by dividing said frequency distributions according to a prescribed tone level and, if that statistical quantity is a sufficient value to indicate the presence of a background, determine that said image has an area constituting a background;

designating the image data, with an image data designation unit, acquired by said image data acquisition unit to be either color image data or monochrome image data; and

setting a tone to demarcate said reference area in response to the designation by said image data designating unit[[.]];

wherein said background determination unit computes the relative frequencies of said reference area and, if either each or the total of the computed relative frequencies is at or above a prescribed threshold, determines that there is an area constituting a background in the image; and

wherein said background determination unit computes representative values of said reference area, and determines whether there is an area constituting a background in the image by combining the representative values.

17. (new): An image data background determining apparatus, comprising:

an image data acquisition unit for acquiring image data expressing in multiple tones an image in picture elements in a dot matrix arrangement;

a frequency distribution charting unit for charting frequency distributions by totaling the picture elements of the image data acquired by the image data acquisition unit as classified by tone level;

a background determination unit for computing a statistical quantity representing the characteristic of a reference area demarcated by dividing the frequency distributions based on a predescribed tone level and, if that statistical quantity is a sufficient value to indicate the presence of a background, determining that the image has an area constituting a background;

an image data designating unit for designating the image data acquired by said image data acquisition unit to be either color image data or monochrome image data; and

a tone setting unit for setting a tone to demarcate said reference area in response to the designation by said image data designating unit;

wherein said background determination unit applies, in computing statistical values in said reference area, and in smoothing to the frequency distributions.

18. (new): An image data background determining apparatus, comprising:

an image data acquisition unit for acquiring image data expressing in multiple tones an image in picture elements in a dot matrix arrangement;

a frequency distribution charting unit for charting frequency distributions by totaling the picture elements of the image data acquired by the image data acquisition unit as classified by tone level;

a background determination unit for computing a statistical quantity representing the characteristic of a reference area demarcated by dividing the frequency distributions based on a prescribed tone level and, if that statistical quantity is a sufficient value to indicate the presence of a background, determining that the image has an area constituting a background;

an image data designating unit for designating the image data acquired by said image data acquisition unit to be either color image data or monochrome image data; and

a tone setting unit for setting a tone to demarcate said reference area in response to the designation by said image data designating unit;

wherein said tone setting unit sets, where the designation by the image data designating unit is for color image data, said reference area narrower toward the high tone or, where it is for

monochrome image data, sets said reference area wider than for color image data from the high tone to the low tone.

19. (new): The image data background determining apparatus, as set forth in claim 18, wherein said background determination unit applies, in computing statistical values in said reference area, and in smoothing to the frequency distributions.

20. (new): An image data background determining method for determining an area constituting a background in an image based on frequency distributions of image data, comprising:

acquiring image data, with an image data acquisition unit, expressing in multiple tones an image in picture elements in a dot matrix arrangement;

charting frequency distributions by totaling the picture elements of the image data acquired at said image data acquisition unit as classified by tone level;

computing a statistical quantity, with a background determination unit, representing the characteristic of a reference area demarcated by dividing said frequency distributions based on a prescribed tone level and, if that statistical quantity is a sufficient value to indicate the presence of a background, determine that said image has an area constituting a background;

designating the image data, with an image data designation unit, acquired by said image data acquisition unit to be either color image data or monochrome image data; and

setting a tone, with a tone setting unit, to demarcate said reference area in response to the designation by said image data designating unit;



wherein said background determination unit applies, in computing statistical values in said reference area, and in smoothing the frequency distributions.

21. (new): An image data background determining method for determining an area constituting a background in an image based on frequency distributions of image data, comprising:

acquiring image data, with an image data acquisition unit, expressing in multiple tones an image in picture elements in a dot matrix arrangement;

charting frequency distributions by totaling the picture elements of the image data acquired at said image data acquisition unit as classified by tone level;

computing a statistical quantity, with a background determination unit, representing the characteristic of a reference area demarcated by dividing said frequency distributions based on a prescribed tone level and, if that statistical quantity is a sufficient value to indicate the presence of a background, determine that said image has an area constituting a background;

designating the image data, with an image data designation unit, acquired by said image data acquisition unit to be either color image data or monochrome image data; and

setting a tone, with a tone setting unit, to demarcate said reference area in response to the designation by said image data designating unit;

wherein said tone setting unit sets, where the designation by the image data designating unit is for color image data, said reference area narrower toward the high tone or, where it is for monochrome image data, sets said reference area wider than for color image data from the high tone to the low tone.

22. (new): The image data background determining method of claim 21, wherein said background determination unit computes the relative frequencies of said reference area and, if either each or the total of the computed relative frequencies is at or above a prescribed threshold, determines that there is an area constituting a background in the image.

23. (new): The image data background determining method of claim 21, wherein said background determination unit computes the relative frequency of each tone in said reference area and, when the total of the occurrences of tones having the prescribed or higher relative frequency is not less than a prescribed threshold, determines that there is a background area in the image.

24. (new): The image data background determining method of claim 21, wherein said background determination unit computes the standard deviation of the reference area, and determines the presence of an area constituting a background in the image when the standard deviation is not above a prescribed threshold.

25. (new): The image data background determining method of claim 21, wherein said background determination unit computes representative values of said reference area, and determines whether there is an area constituting a background in the image by combining the representative values.

26. (new): The image data background determining method of claim 21, wherein said background determination unit applies, in computing statistical values in said reference area, and in smoothing to the frequency distributions.

27. (new): The image data background determining method of claim 21, wherein said background determination unit is provided with an image data retouching unit for so retouching the image data of picture elements, if the image has an area constituting a background, as to remove the background based on the area constituting the background.

28. (new): The image data background determining method of claim 27, wherein said image data retouching unit, if the area constituting the background of the image is near a highlight, generates a correction curve having a parameter to maximize the tone of picture elements near the highlight, and corrects the tones of picture elements in the image data according to the correction curve.

29. (new): The image data background determining method of claim 28, wherein said background determination unit determines the presence or absence of an object in the image in accordance with prescribed technique and, if there is found an object, said image data retouching unit alters the parameter of said correction curve.

30. (new): The image data background determining method of claim 21, wherein said image data designating unit designates the image data to be monochrome image data or color image data by a user's choice.

31. (new): The image data background determining method of claim 21, wherein said tone setting unit sets the tone to demarcate the reference area variably based on the state of the frequency distributions.

32. (new): The image data background determining method of claim 21, wherein said background area determination unit generates a retouching curve having as its parameter the tone

AMENDMENT UNDER 37 C.F.R. § 1.111  
U.S. Application No. 09/674,638

Attorney Docket No. Q60961

designated by said tone designating unit, and retouches the picture elements of the image data acquired by said image data acquisition unit based on the retouching curve.